

ALNWICK/HALDIMAND TOWNSHIP
General Entrance and Culvert Requirements

All entrances must be constructed by the owner at his/her cost and shall be installed to the following specifications.

Entrance Culvert:

- new steel riveted culverts only
- minimum culvert size shall be 18" (450mm) diameter and 30' (9m) in length
- couplers shall be a 5 corrugation bolt up coupler
- **no sheet metal, dimple type couplers will be allowed**

Backfilling:

- granular "A" gravel shall be used around the culvert and for the top surfaces of the entrance
- leave 2' - 3' of culvert exposed at each end with 2:1 backslopes
- 12 inch (300mm) of fill over the top of culvert (minimum)
- must be installed to warrant the drainage flow

Size of culvert may vary due to drainage requirements. Any variation in culvert size will be determined by the Public Works Department. For additional information or to arrange an on-site meeting, please call the township of Alnwick/Haldimand Public Works Department at 905-349-2700.

ENTRANCE PERMIT APPLICATION

Print: Name of Applicant: _____ Date: _____

Mailing Address: _____

Telephone No.: _____

New Entrance Location _____ Roll No.: _____

Lot No.: _____ Conc. No.: _____ Plan No.: _____ Part No.: _____

Road Name: _____ Side: _____

Date to be staked: _____ Existing Entrance: _____ Using This Entrance: _____

Site Location Plan Attached: _____

I, the applicant, have read the above and agree to the culvert requirements. I also, understand that this is only an application for an entrance permit and an entrance is not to be installed until the entrance permit has been paid for and issued by the Chief Building Official. Entrance deposit refund must be applied for between the months of April 1st. and November 30th., and within 2 (two) years of the date of the application. Failure to do so will result in the forfeiture of the deposit to the Municipality.

Applicant's Signature

Dated

Site Plan Recommendations

Office Use Only:

Culvert: Yes _____ No _____ Culvert Size: diam. _____ mm, length _____ meters

Date Inspected: _____ Inspected By: _____